

# Fresh Air Band

## Technical Requirements

Jim Templin  
(301)933-3090  
fax (301)933-7065

Please fax or mail a copy of this flyer to your banquet manager or other site contact. Let us know if any of these requests are not possible.

### Stage/Performance area requirements:

A 12' x 24' stage or performance area is a preferred minimum. We can work with less, but would prefer to know in advance how much less.

In addition, please allow an area for our sound and lighting techs and mixing console just off stage to the band's left. This space should be at least 4' x 8'.

### Electrical requirements:

Five (5) separate electrical circuits (three minimum) adjacent or convenient to performance area. Circuits should be 20 amps each, 110v.

A power distribution or "breakout box" next to the stage is ideal.

**Please note: We cannot include any stage lighting if working with less than three separate circuits.** Banquet managers: Please check with your A/V department or electrical engineer if you have any doubts about where the separate circuits or breaker boxes are located! It may very well save a lot of time and/or "panic" on the day of the party.

### Set-up time:

A careful and thorough set-up and sound check generally requires about 2-2.5 hours. Our crew likes to arrive three hours before the first set is to commence.

At least one full hour of unobstructed access to the performance area is an absolute minimum. Keep in mind that a single hour (i.e. hasty setup) will probably not allow for a PA system sound check and adjustment.

Please advise us if there are logistical considerations that will prevent our having full access for set-up.

### Storage/Dressing areas:

It is important that we have a secure area to store our empty footlockers, instrument cases, clothes bags, purses, etc.

Ideally, we should have a comfortable area to "chill" while on breaks, to change clothes, and perhaps to eat a light meal.